### **REMARKS**

The drawings stand objected to. Claims 1 - 23 stand rejected under 35 U.S.C. §112, second paragraph as being indefinite. Claims 9 - 13 and 19 - 22 stand rejected under 35 U.S.C. §102(b) as being anticipated by Prior Art disclosed by Kuo. Claims 9 - 16 stand rejected under 35 U.S.C. §102(b) as being anticipated by Barrett et al. Claims 1 - 3, 6 - 7, and 23 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Prior Art disclosed by Kuo in view of Colley. Claim 8 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Prior Art disclosed by Kuo in view of Colley and further in view of Huang. Claim 4 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Prior Art disclosed by Kuo in view of Colley and further in view of Nakatani. Claim 5 stands rejected under 35 U.S.C. §103(a) as being unpatentable over Prior Art disclosed by Kuo in view of Colley and Nakatani, and further in view of Hisatomi et al. Claims 17 and 18 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Nakatani, and further in view of Hisatomi et al. The Examiner's astute review is most appreciated, and has facilitated the amendments herein above. In view of the above amendment and following remarks, the Examiner is respectfully requested to reconsider the outstanding objections and rejections and allow the present application to issue.

With regard to the objections to the drawings, the Examiner's observation regarding the lock handle numbering is appreciated. A replacement drawing sheet is provided herewith which corrects the designation of the lock handles of clamps 220.

With regard to the rejections of claims 1 - 23 under 35 U.S.C. §112, second paragraph, the informalities noted by the Examiner have been corrected by way of the present amendment, with only two exceptions. The Examiner's comments with regard to claim 9 are noted. However, the applicants have intentionally and explicitly claimed the bounded openings. The Examiner's reference to an alternative would appear only to be an illustration of subject matter which would not be encompassed by claim 9. With regard to claim 14, there is no intention of inferentially claiming a second base. Instead, the operative nature of the base is defined, without

the intention of claiming a second base as the invention. This may be likened to claiming that a chair operatively supports a person. While the person would not be included in the claim, the operation of the chair has been explicitly defined. Such is the intention of the applicants with regard to claim 14.

With regard to the outstanding rejections of the claims under 35 U.S.C. §102(b) and §103(a), the Examiner is respectfully requested to reconsider these rejections. With regard to independent claim 1, this claim recites "clamp having a fixed member, at least one rotary disc, and at least one elastomeric member that is in frictional engagement between said fixed member and said at least one rotary disc when said clamping arrangement is in said second position." Similarly, presently amended claim 19 recites "at least one elastomeric member between said core and said backing member that is in frictional engagement with said core and said backing member while damping transmission of vibrations between said core and said backing member when said clamping arrangement is in said first clamping position." As described in the present specification between page 17, line 18 and page 18, line 4, the elastomeric member provides a combination of excellent frictional behavior, and, of particular importance for a microphone boom stand, a dampening of higher frequency vibrations. The Examiner has relied upon Colley to teach the use of an elastomeric pad. However, the Examiner will observe that the Colley construction, which is designed to act as a bicycle clamp, is quite different from the present invention, and does not describe or obtain the frequency isolation that is achieved using the recited combination of fixed member, rotary disc, and elastomeric member therebetween. Consequently, without a teaching or suggestion of the benefit, the Colley patent is simply an unrelated coupling. If the applicants and their representative have somehow overlooked a teaching provided therein or in any of the other cited documents, the Examiner is respectfully requested to direct applicants directly thereto. In the absence of such a teaching, as the Examiner is already aware, the combination cannot be considered to be obvious, but must instead be merely the result of the hindsight afforded by the present specification.

With regard to the rejection of claims 8 - 16, the Examiner will observe that each of these claims recite the massive anchors. A copy of Webster's Unabridged Dictionary definition for the word massive is attached herewith, which defines massive as "1. Forming or consisting of a large mass; large and heavy; big and solid; bulky; ponderous. 2. Solid, not hollow or plated: said of articles made of gold or silver. 3. Large and imposing or impressive; of considerable magnitude." The synonyms are bulky, heavy, ponderous, weighty and large. The Examiner will observe that none of the references of record illustrate such anchors. The Examiner suggests that the feet, wheels and the like may be construed as anchors. However, the Examiner is respectfully requested to reconsider this construction in light of the standard definition for the word "massive" provided herewith. Instead, none of the references of record illustrate massive anchors. Well known in the industry are large bases made of cast iron or the like in the shape of a large slightly domed disc. These bases are massive, but do not possess the other recited features. Since the prior art of record is absent a teaching for massive base having the other recited features, or any suggestion for making such combination, the Examiner is respectfully requested to withdraw the rejection of these claims.

With regard to claims 5, 17 and 18, the applicants have introduced the novel combination of clamp with resilient cable guide. None of the references of record appear to illustrate or teach this combination. While such combination may at first appear somewhat arbitrary and capricious, the Examiner will observe that the combination provides unique assurance that the cables will not interfere in any way during use, and are naturally located at optimum locations for such anchoring. To form separate cable guides would require both additional expense and necessarily displace the guides from these optimum locations. Such synergistic combination is absent in the prior art of record and known to the applicants. Consequently, the Examiner is respectfully requested to reconsider and withdraw the rejections of these claims.

In view of the present amendment and remarks, the Examiner is respectfully requested to reconsider the rejection of record and allow the present application to issue. No new matter is

10/683,725 Page 13 October 3, 2005

introduced. However, should there remain any open issues in this application which might be resolved by telephone, the Examiner is respectfully requested to call the undersigned at 320-363-7296 to further discuss the advancement of this application. Please charge all small entity fees associated with this correspondence to deposit account 17-0155.

Sincerely,

Albert W. Watkins

reg. 31,676



## **WEBSTER'S**

NEW UNIVERSAL

# UNABRIDGED DICTIONARY

DELUXE SECOND EDITION

BASED UPON THE BROAD FOUNDATIONS LAID DOWN BY

Noah Webster

EXTENSIVELY REVISED BY THE PUBLISHER'S EDITORIAL STAFF UNDER THE GENERAL SUPERVISION OF

JEAN L. McKECHNIE

INCLUDING ETYMOLOGIES, FULL PRONUNCIATIONS, SYNONYMS, AND AN ENCYCLOPEDIC SUPPLEMENT OF GEOGRAPHICAL AND BIOGRAPHICAL DATA, SCRIPTURE PROPER NAMES, FOREIGN WORDS AND PHRASES, PRACTICAL BUSINESS MATHEMATICS, ABBREVIATIONS, TABLES OF WEIGHTS AND MEASURES, SIGNS AND SYMBOLS, AND FORMS OF ADDRESS

ILLUSTRATED THROUGHOUT

**Dorset & Baber** 

### BEST AVAILABLE CO

### WEBSTER'S NEW TWENTIETH CENTURY DICTIONARY

### Second Edition

Copyright © 1983 and 1955, 1956, 1957, 1958, 1959, 1960, 1962, 1964, 1968, 1970, 1975, 1977, 1979 by Simon & Schuster, a Division of Gulf & Western Corporation Full-Color Plates Copyright © 1972 by Simon & Schuster, a Division of Gulf & Western Corporation All rights reserved including the right of reproduction in whole or in part in any form Published by New World Dictionaries/Simon and Schuster A Simon & Schuster Division of Gulf & Western Corporation Simon & Schuster Building Rockefeller Center 1230 Avenue of the Americas New York, New York 10020 SIMON AND SCHUSTER, TREE OF KNOWLEDGE and colophon are trademarks of Simon & Schuster.

Dictionary Editorial Offices New World Dictionaries 850 Euclid Avenue Cleveland, Ohio 44114

Manufactured in the United States of America

K 20 19 18 17 16 15 14 13 12

Library of Congress Catalog Card Number: 83-42537

ISBN 0-671-41819-X

Previous editions of this book were published by The World Publishing Company, William Collins +World Publishing Co., Inc. and William Collins Publishers, Inc.

### massage

small rattlesnake found in dry regions of the southern United States.

Mass bell, same as Sanctus bell.

Mass book, same as missal.

Mass gard, a printed card stating that a Mass will be offered, as for a deceased person, sent by the donor, as to the bereaved.

Mass'-day, n. a day on which High Mass is celebrated. [Archaic.]

mass defect', in physics, the amount by which the mass of the nucleus of an atom is less than the sum of the masses of the particles of which the nucleus is constituted.

less than the sum of the masses of the particles of which the nucleus is constituted.

mas-66' (mas-52'), n. [Fr., from masser, to make a massé shot, from masse, a cue.] in biliards, a shot made with the cue held in a vertical or nearly vertical position.

mas-66' enot, same as massé.

mas-66'ter, n. [Mod. L.; Gr. masséir, a chewer, from massathai, to chew.] either of a pair of large muscles in the angle of the lower-jaw which raise the jaw in chewing, etc.

mas-66'ter'ic, a. in anatomy, relating to the masseter.

masseter.
mas seur', n. [Fr., from masser, to knead.] a
man whose work is massaging.

mas seuse', n. a woman whose work is mas-

saging.

mas'si cot, n. [Fr.] a yellow oxide of lead,
PbO, produced by heating lead in air to just
above the melting point, used as a pigment
and in the production of red lead.

mas'esf, n. [Fr., bulky, massive, from masse, a

mas'sii, n. [fr., bulky, massive, from masse, a mass.]

1. the dominant, central mass of a mountain ridge, more or less defined by lengthwise or crosswise valleys.

2. a diastrophic block of the earth's crust that is isolated by boundary faults and has shifted as a whole.

mass'iness, n. the state of being massy.

mas'sive, a. [Fr. massif, from masse, L. massa, a lump, mass.]

1. forming or consisting of a large mass:

1. forming or consisting of a large mass; large and heavy; big and solid; bulky; pon-

large.

mass'ive ly, adv. in a mass; heavily.

mass'ive ness, w. the quality of being massive,
mass ma'di a, those means of communication
mass ma'di a, those means of communication
mass tec'to my, w. [mast-and -ectomy.] the surgical removal of a breast.

tons and neutrons in the nucleus and is always at least twice as great as the atomic number, except in the case of hydrogen and a certain rare isotope of helium.

Mas'sō rēte, Mas'sō rīte, n. same as Maso-

mas so ther's py, n. [from massage and therapy.] the treatment of disease by massage. Mass priest, a Roman Catholic priest; a hos-tile term.

mass pro-duc'tion, the production or manufacture of goods in large quantities, especially by machinery and division of labor. mass spec'tro graph, an instrument for sorting and analyzing streams of ionized particles by passing these through deflecting fields, typically designed to focus particles of equal mass on a fluorescent screen or hotographic mass on a fluorescent screen or photographic plate: used to detect various particles, to determine the relative abundance of isotopes in an element, etc.: also called mass spectrometer.

mas säge, v.l.; massaged, pt., pp.; massaging, ppr. to give a massage to.

mas-säg'er (-säzh'), n. one who massages.
mas-säg'ist, n. same as massager.
mas-så-sau'gà, n. [Am. Ind.] a variety of small rattlesnake found in dry regions of the southern United States.
Mass bell, same as Sancius bell.
Mass book, same as missal.

Mass säded a printed card stating that a Mass

mast-, same as mosio-

mast, n. [MB. mast; AS. mæst, the stem of a tree, bough, mast.]

1. a tall spar, sometimes in sections, rising vertically from the keel or deck of a vessel and used to support the sails, yards, etc.: modern masts are often hollow structures made of wooden strips, tubular steel, extruded alu-minum, etc.

2. a specified section of this; as, the topmasi. 3. any vertical pole, as in a crane or der-

4. the foremast.
5. [M-] in the United States Navy, a summary session held by an officer to impose dis-


cipline and hear complaints.
at the mast; in the United States Navy, at the mainmast on the spar deck, the place of meeting for interview between officers and

before the mast; (a) in the sailors' quarters on a ship, forward of the foremast, as distin-guished from the officers' quarters aft; (b) as a common sailor; as an unlicensed seaman.

mast, v.t.; masted, pt., pp.; masting, ppr. to attach a mast or masts to, as a ship; as, the ship is properly masted.

mast, n. [MB. mast; AS. mæst, food, mast, beechnuts.] beechnuts, acorns, chestnuts, etc., especially as food for hogs. mast, v.i. to furnish with mast as food; as, to mast swine in the fall. [Obs.]

mas'tà bà, mas'tà bāh, n. [Ar. mastabah.] an oblong structure with a flat roof and sloping sides, built over the opening of a mummy chamber or burial pit in ancient Egypt and used as a tomb or mortuary chapel.



mas'ter, n. [ME. maister, meister; OFr. mais

mass mē'di-ā, those means of communication mas tec'tō my, n. [mast- and -ectomy.] the sur that reach and influence large numbers of peoples, especially newspapers, popular magazines, radio, and television.

mass meet'ing, a large public meeting to hear speakers, discuss public affairs, demonstrate public approval or disapproval, etc.

mass num'bēr, in atomic and nuclear physics, the whole number by which the fundamental unit of mass, 1.6603×10-2 gram (almost the mass of a proton, the nucleus of a hydrogen atom), is multiplied to find the approximate mass of the nucleus of an atom: it is equal to the sum of the numbers of protons and neutrons in the nucleus and is almas'ter, n. [MB. maister, meister; OFr. maistre, master, from L. magister, master, chief, head, from root of magnus, great]

1. a man who rules others or has control, authority, or power over something; specifically, (a) a man who is head of a household or institution; (b) an employer; (c) an owner of an animal or slave; (d) the captain of a merchant ship; (e) a victor; as, he proved to be the master of the other runners in the race; (f) [Chiefly Brit.] a male schoolteacher or tutor; (g) a person whose teachings in religion, philosophy, etc. one follows or professes to follow; (h) [M-] Jesus Christ (with our, the, etc.) our. the, etc.)

our, the, etc.)

2. something regarded as having control, power, etc.; as, love is his master.

3. a person very skilled and able in some work, profession, science, etc.; expert; specifically, (a) a skilled workman or craftsman qualified to follow his trade independently; (b) an artist regarded as great.

4. a work by such an artist; as, this painting is an old master.

5. [M-] a title variously applied to (a) originally, a man of high rank; (b) later, any man or youth: now superseded by the variant Mister, usually written Mr.; (c) a boy regarded as too young to be addressed as Mr.; (d) a man who heads some institution, group, activity, or place; as, Master of the Foxhounds; (e) in Scotland, the heir apparent of

#### master mason

a viscount or baron; (f) a person holding a certain degree from a college or university, denoting completion of a prescribed course of graduate study in some field and ranking above that of Bachelor and below that of Doctor; as, Master of Arts.

6. a metal matrix or mold made from the original recording and used to produce phono-

original recording and used to produce phonograph records in quantity:
7. in law, any of several court officers appointed to assist the judge by hearing evidence, reporting on certain matters, etc.; as, a master in chancery.

Little Masters; a group of German artists in the sixteenth and seventeenth centuries, distinguished for the excellence of their little interesting engrayings on both mood and lustrative engravings on both wood and

copper.

master in chancery; in England, an assistant
of the lord chancellor, chosen from among the
barristers to sit in chancery or at the rolls; in the United States, an officer in a court of equity whose duty it is to inquire into and to report on matters of fact referred to him, and to perform any duties required of him by the

to perform any duties required of him by the court under whose authority he serves. master of the horse; the third great officer in the British court, having the management of the royal stables, etc. In solemn cavalcades he rides next to the sovereign.

Master of the Rolls; in England, an officer who has charge of the rolls and patents that pass the great seal, and of the records of the court of chancery.

to be master of oneself; to have complete self-control, especially in respect to passions, im-pulses, and motives. to be one's own master; to be untrammeled;

to be subject only to one's own wishes and desires, with freedom to act.

Syn.—chief, director, head, manager, boss, proprietor, owner, superintendent.

mae'tër, a. 1. being master.

2. of a master.

3. chief; principal; main; controlling; specifically, designating a mechanism or contrivance that controls others or sets a standard or norm; as, a master switch, a master test

sneet.

måe'tër, v.t.; mastered, pt., pp.; mastering,
ppr. 1. to become master of; to conquer; to
overpower; to subdue; to bring under control.
Evil customs must be mastered by degrees.
2. to rule or govern as master. Calamy.

3. to become an expert at; as, to master a science.

4. to possess. [Obs.]
Syn.—conquer, overcome, acquire, attain,

mas'ter-at-arms', n.; pl. mas'ters-at-arms', a naval petty officer responsible for keeping order, maintaining discipline, taking charge of prisoners, etc. on a warship: the rating no longer exists in the United States Navy

mas'ter build'er (bild'), 1. a person skilled in, or in charge of, building; especially, an ni, of in large of, building, especially, an architect: often figurative.

2. a building contractor.
mas/ter-dom, n. mastery.
mas/ter-ful, a. 1. having or showing the skill

mas'ter ful. a. 1. having or snowing the skill of a master; expert.

2. fond of acting the part of a master; imperious; arbitrary.
mas'ter ful.ly, adv. in the manner of a master.
mas'ter hand. 1. an expert.
2. great ability or skill.
mas'ter-hood. n. the position of master:
mas'ter joint, in geology, the most important among many joints in a mass of rock.
mas'ter key. a key for opening more than one mas'tër këy, a key for opening more than one of a set of locks; a passkey; hence, figura-tively, a general clue to lead out of many dif-

mas/ter-less, a. 1. without a master or owner.
2. ungoverned; unsubdued.
mas/ter-less ness, n. lack of a master.
mas/ter-li-ness, n. the quality or state of being

masterly.

mas'terly.

a. 1. formed or executed with superior skill; suitable to a master; most excellent; skillful; as, a masterly design; a masterly performance; a masterly stroke of policy.

2. imperious. [Obs.]

Syn.—finished, artistic, consummate, skillful, dexterous, expert.

mas'ter ly, adv. with the skill of a master.
mas'ter ma'son, 1. a skilled mason; expert
worker in brick or stone.
2. [M- M-] a Preemason of the third de-